

Your temporary usage period for IBM SPSS Statistics will expire in 5155 days.

CORRELATIONS

```

/VARIABLES=X.1 X.2 X.3 X.4 X.5 X.6 X.7 X.8 X.9 X.10 Total_X
/PRINT=TWOTAIL NOSIG
/STATISTICS DESCRIPTIVES
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		19-NOV-2021 15:54:56
Comments		
Input	Data	E:\A. BRANKAS PINDAHAN DATA\1_DATA D LENOVO\5_UNU NTB\BRANKAS DATA PRODI PENDIDIKAN SOSIOLOGI\PDP KU\2021\tabulasi data.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	97
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X.1 X.2 X.3 X.4 X.5 X.6 X.7 X.8 X.9 X.10 Total_X /PRINT=TWOTAIL NOSIG /STATISTICS DESCRIPTIVES /MISSING=PAIRWISE.

Notes

Resources	Processor Time	00:00:00,08
	Elapsed Time	00:00:00,22

[DataSet2] E:\A. BRANKAS PINDAHAN DATA\1_DATA D LENOVO\5_UNU NTB\BRANKAS DATA PRODI PENDIDIKAN SOSIOLOGI\PDP KU\2021\tabulasi data.sav

Descriptive Statistics

	Mean	Std. Deviation	N
X.1	2.02	.707	97
X.2	2.32	1.006	97
X.3	2.53	1.091	97
X.4	2.43	1.030	97
X.5	2.94	1.116	97
X.6	2.04	.735	97
X.7	2.58	1.049	97
X.8	2.07	.753	97
X.9	2.01	.784	97
X.10	2.18	.854	97
WFC	23.11	6.333	97

Correlations

		X.1	X.2	X.3	X.4	X.5	X.6
X.1	Pearson Correlation	1	.723**	.594**	.531**	.556**	.500**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	97	97	97	97	97	97
X.2	Pearson Correlation	.723**	1	.747**	.710**	.537**	.320**
	Sig. (2-tailed)	.000		.000	.000	.000	.001
	N	97	97	97	97	97	97
X.3	Pearson Correlation	.594**	.747**	1	.834**	.566**	.389**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	97	97	97	97	97	97
X.4	Pearson Correlation	.531**	.710**	.834**	1	.594**	.389**
	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	97	97	97	97	97	97
X.5	Pearson Correlation	.556**	.537**	.566**	.594**	1	.460**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	97	97	97	97	97	97
X.6	Pearson Correlation	.500**	.320**	.389**	.389**	.460**	1
	Sig. (2-tailed)	.000	.001	.000	.000	.000	
	N	97	97	97	97	97	97
X.7	Pearson Correlation	.166	.139	.123	.190	.360**	.361**
	Sig. (2-tailed)	.103	.174	.228	.062	.000	.000
	N	97	97	97	97	97	97
X.8	Pearson Correlation	.251*	.217*	.131	.201*	.377**	.427**
	Sig. (2-tailed)	.013	.033	.202	.048	.000	.000
	N	97	97	97	97	97	97
X.9	Pearson Correlation	.601**	.405**	.274**	.304**	.513**	.596**
	Sig. (2-tailed)	.000	.000	.007	.002	.000	.000
	N	97	97	97	97	97	97
X.10	Pearson Correlation	.391**	.395**	.336**	.327**	.394**	.520**
	Sig. (2-tailed)	.000	.000	.001	.001	.000	.000
	N	97	97	97	97	97	97
WFC	Pearson Correlation	.756**	.768**	.753**	.765**	.792**	.688**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	97	97	97	97	97	97

Correlations

		X.7	X.8	X.9	X.10	WFC
X.1	Pearson Correlation	.166	.251*	.601**	.391**	.756**
	Sig. (2-tailed)	.103	.013	.000	.000	.000
	N	97	97	97	97	97
X.2	Pearson Correlation	.139	.217*	.405**	.395**	.768**
	Sig. (2-tailed)	.174	.033	.000	.000	.000
	N	97	97	97	97	97
X.3	Pearson Correlation	.123	.131	.274**	.336**	.753**
	Sig. (2-tailed)	.228	.202	.007	.001	.000
	N	97	97	97	97	97
X.4	Pearson Correlation	.190	.201*	.304**	.327**	.765**
	Sig. (2-tailed)	.062	.048	.002	.001	.000
	N	97	97	97	97	97
X.5	Pearson Correlation	.360**	.377**	.513**	.394**	.792**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97
X.6	Pearson Correlation	.361**	.427**	.596**	.520**	.688**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97
X.7	Pearson Correlation	1	.487**	.373**	.188	.493**
	Sig. (2-tailed)		.000	.000	.065	.000
	N	97	97	97	97	97
X.8	Pearson Correlation	.487**	1	.493**	.385**	.546**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	97	97	97	97	97
X.9	Pearson Correlation	.373**	.493**	1	.589**	.711**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	97	97	97	97	97
X.10	Pearson Correlation	.188	.385**	.589**	1	.632**
	Sig. (2-tailed)	.065	.000	.000		.000
	N	97	97	97	97	97
WFC	Pearson Correlation	.493**	.546**	.711**	.632**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	97	97	97	97	97

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

CORRELATIONS

```

/VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Total_
Y
/PRINT=TWOTAIL NOSIG
/STATISTICS DESCRIPTIVES
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		19-NOV-2021 16:37:08
Comments		
Input	Data	E:\A. BRANKAS PINDAHAN DATA1_DATA D LENOVO\5_UNU NTB\BRANKAS DATA PRODI PENDIDIKAN SOSIOLOGI\PDP KU\2021\tabulasi data.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	97
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=Y.1 Y.2 Y. 3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Total_Y /PRINT=TWOTAIL NOSIG /STATISTICS DESCRIPTIVES...
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,08

Descriptive Statistics

	Mean	Std. Deviation	N
Y.1	2.03	.871	97
Y.2	2.64	1.043	97
Y.3	2.59	1.068	97
Y.4	2.71	1.136	97
Y.5	2.91	1.011	97
Y.6	2.88	1.053	97
Y.7	2.59	1.170	97
Y.8	2.61	1.132	97
Y.9	2.39	.836	97
Y.10	2.34	1.030	97
Y.11	2.35	1.000	97
Y.12	2.55	1.164	97
Y.13	2.53	1.146	97
Stress Kerja	33.10	9.805	97

Correlations

		Y.1	Y.2	Y.3	Y.4	Y.5
Y.1	Pearson Correlation	1	.345**	.473**	.398**	.287**
	Sig. (2-tailed)		.001	.000	.000	.004
	N	97	97	97	97	97
Y.2	Pearson Correlation	.345**	1	.567**	.659**	.462**
	Sig. (2-tailed)	.001		.000	.000	.000
	N	97	97	97	97	97
Y.3	Pearson Correlation	.473**	.567**	1	.579**	.601**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	97	97	97	97	97
Y.4	Pearson Correlation	.398**	.659**	.579**	1	.448**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	97	97	97	97	97
Y.5	Pearson Correlation	.287**	.462**	.601**	.448**	1
	Sig. (2-tailed)	.004	.000	.000	.000	
	N	97	97	97	97	97
Y.6	Pearson Correlation	.435**	.509**	.584**	.588**	.361**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97
Y.7	Pearson Correlation	.401**	.261**	.529**	.411**	.531**
	Sig. (2-tailed)	.000	.010	.000	.000	.000
	N	97	97	97	97	97

Correlations

		Y.6	Y.7	Y.8	Y.9	Y.10
Y.1	Pearson Correlation	.435**	.401**	.456**	.512**	.302**
	Sig. (2-tailed)	.000	.000	.000	.000	.003
	N	97	97	97	97	97
Y.2	Pearson Correlation	.509**	.261**	.444**	.498**	.057
	Sig. (2-tailed)	.000	.010	.000	.000	.577
	N	97	97	97	97	97
Y.3	Pearson Correlation	.584**	.529**	.528**	.603**	.337**
	Sig. (2-tailed)	.000	.000	.000	.000	.001
	N	97	97	97	97	97
Y.4	Pearson Correlation	.588**	.411**	.510**	.592**	.183
	Sig. (2-tailed)	.000	.000	.000	.000	.073
	N	97	97	97	97	97
Y.5	Pearson Correlation	.361**	.531**	.405**	.462**	.101
	Sig. (2-tailed)	.000	.000	.000	.000	.327
	N	97	97	97	97	97
Y.6	Pearson Correlation	1	.524**	.448**	.446**	.279**
	Sig. (2-tailed)		.000	.000	.000	.006
	N	97	97	97	97	97
Y.7	Pearson Correlation	.524**	1	.341**	.486**	.239*
	Sig. (2-tailed)	.000		.001	.000	.019
	N	97	97	97	97	97

Correlations

		Y.11	Y.12	Y.13	Stress Kerja
Y.1	Pearson Correlation	.513**	.456**	.515**	.642**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	97	97	97	97
Y.2	Pearson Correlation	.272**	.422**	.526**	.648**
	Sig. (2-tailed)	.007	.000	.000	.000
	N	97	97	97	97
Y.3	Pearson Correlation	.634**	.619**	.613**	.824**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	97	97	97	97
Y.4	Pearson Correlation	.392**	.546**	.510**	.736**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	97	97	97	97
Y.5	Pearson Correlation	.372**	.513**	.492**	.650**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	97	97	97	97
Y.6	Pearson Correlation	.467**	.455**	.598**	.722**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	97	97	97	97
Y.7	Pearson Correlation	.561**	.458**	.513**	.676**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	97	97	97	97

Correlations

		Y.1	Y.2	Y.3	Y.4	Y.5
Y.8	Pearson Correlation	.456**	.444**	.528**	.510**	.405**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97
Y.9	Pearson Correlation	.512**	.498**	.603**	.592**	.462**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97
Y.10	Pearson Correlation	.302**	.057	.337**	.183	.101
	Sig. (2-tailed)	.003	.577	.001	.073	.327
	N	97	97	97	97	97
Y.11	Pearson Correlation	.513**	.272**	.634**	.392**	.372**
	Sig. (2-tailed)	.000	.007	.000	.000	.000
	N	97	97	97	97	97
Y.12	Pearson Correlation	.456**	.422**	.619**	.546**	.513**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97
Y.13	Pearson Correlation	.515**	.526**	.613**	.510**	.492**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97
Stress Kerja	Pearson Correlation	.642**	.648**	.824**	.736**	.650**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97

Correlations

		Y.6	Y.7	Y.8	Y.9	Y.10
Y.8	Pearson Correlation	.448**	.341**	1	.626**	.392**
	Sig. (2-tailed)	.000	.001		.000	.000
	N	97	97	97	97	97
Y.9	Pearson Correlation	.446**	.486**	.626**	1	.255*
	Sig. (2-tailed)	.000	.000	.000		.012
	N	97	97	97	97	97
Y.10	Pearson Correlation	.279**	.239*	.392**	.255*	1
	Sig. (2-tailed)	.006	.019	.000	.012	
	N	97	97	97	97	97
Y.11	Pearson Correlation	.467**	.561**	.628**	.482**	.470**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97
Y.12	Pearson Correlation	.455**	.458**	.733**	.516**	.426**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97
Y.13	Pearson Correlation	.598**	.513**	.586**	.554**	.359**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97
Stress Kerja	Pearson Correlation	.722**	.676**	.765**	.746**	.472**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	97	97	97	97	97

Correlations

		Y.11	Y.12	Y.13	Stress Kerja
Y.8	Pearson Correlation	.628**	.733**	.586**	.765**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	97	97	97	97
Y.9	Pearson Correlation	.482**	.516**	.554**	.746**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	97	97	97	97
Y.10	Pearson Correlation	.470**	.426**	.359**	.472**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	97	97	97	97
Y.11	Pearson Correlation	1	.684**	.664**	.768**
	Sig. (2-tailed)		.000	.000	.000
	N	97	97	97	97
Y.12	Pearson Correlation	.684**	1	.719**	.818**
	Sig. (2-tailed)	.000		.000	.000
	N	97	97	97	97
Y.13	Pearson Correlation	.664**	.719**	1	.826**
	Sig. (2-tailed)	.000	.000		.000
	N	97	97	97	97
Stress Kerja	Pearson Correlation	.768**	.818**	.826**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	97	97	97	97

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

RELIABILITY

```

/VARIABLES=X.1 X.2 X.3 X.4 X.5 X.6 X.7 X.8 X.9 X.10
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/STATISTICS=DESCRIPTIVE SCALE.

```

Reliability

Notes

Output Created		19-NOV-2021 16:41:19
Comments		
Input	Data	E:\A. BRANKAS PINDAHAN DATA\1_DATA D LENOVO\5_UNU NTB\BRANKAS DATA PRODI PENDIDIKAN SOSIOLOGI\PDP KU\2021\tabulasi data.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	97
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=X.1 X.2 X.3 X.4 X.5 X.6 X.7 X.8 X.9 X.10 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /STATISTICS=DESCRIPTIVE SCALE.	
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,04

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	97	100.0
	Excluded ^a	0	.0
	Total	97	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.874	10

Item Statistics

	Mean	Std. Deviation	N
X.1	2.02	.707	97
X.2	2.32	1.006	97
X.3	2.53	1.091	97
X.4	2.43	1.030	97
X.5	2.94	1.116	97
X.6	2.04	.735	97
X.7	2.58	1.049	97
X.8	2.07	.753	97
X.9	2.01	.784	97
X.10	2.18	.854	97

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
23.11	40.102	6.333	10

RELIABILITY

/VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13

/SCALE('ALL VARIABLES') ALL

/MODEL=ALPHA

/STATISTICS=DESCRIPTIVE SCALE.

Reliability

Notes

Output Created		19-NOV-2021 16:46:39
Comments		
Input	Data	E:\A. BRANKAS PINDAHAN DATA\1_DATA D LENOVO\5_UNU NTB\BRANKAS DATA PRODI PENDIDIKAN SOSIOLOGI\PDP KU\2021\tabulasi data.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	97
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /STATISTICS=DESCRIPTIVE SCALE.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,04

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	97	100.0
	Excluded ^a	0	.0
	Total	97	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.920	13

Item Statistics

	Mean	Std. Deviation	N
Y.1	2.03	.871	97
Y.2	2.64	1.043	97
Y.3	2.59	1.068	97
Y.4	2.71	1.136	97
Y.5	2.91	1.011	97
Y.6	2.88	1.053	97
Y.7	2.59	1.170	97
Y.8	2.61	1.132	97
Y.9	2.39	.836	97
Y.10	2.34	1.030	97
Y.11	2.35	1.000	97
Y.12	2.55	1.164	97
Y.13	2.53	1.146	97

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
33.10	96.135	9.805	13